

Improving HWRF and GFDL/GFDN Hurricane Models by Advancing the Air-Sea Interaction Components

Isaac Ginis¹, *Richard Yablonsky*¹, Biju Thomas¹,
Morris Bender², and Vijay Tallapragada³

¹University of Rhode Island

²NOAA/OAR/GFDL

³NOAA/NWS/NCEP/EMC


68th Interdepartmental Hurricane Conference

Tuesday, March 4, 2014


GFDL/N & HWRF Ocean Model Upgrade: Replacing POM-TC with MPIPOM-TC

- MPIPOM-TC uses MPI software to run efficiently on multiple processors, allowing for both **higher grid resolution** and a **larger ocean domain** than POM-TC
- MPIPOM-TC accepts **flexible initialization options**
- MPIPOM-TC is an adaptation of sbPOM, which has **community support** and includes **18 years of physics updates and bug fixes**
- MPIPOM-TC is a modernized code with **NetCDF I/O**
- MPIPOM-TC uses a **single prognostic code** in all **worldwide GFDL, GFDN, and HWRF ocean basins**

POM-TC Atlantic Domains: “United” and “East Atlantic”




URI's MPIPOM-TC transatlantic domain






MPIPOM-TC vs. POM-TC: Ocean response to Hurricane Katia (through 2011090800)


MPIPOM-TC SST (full domain)




POM-TC SST (full domain)




MPIPOM-TC – POM-TC SST




MPIPOM-TC SST (wake only)









POM-TC SST (wake only)





20110908 TMI 3-day SST





Hurricane Sandy 18L: 2012102506





Hurricane Sandy 18L: 2012102506



MPIPOMTC SST + Currents









POM-TC SST + Currents




MPIPOMTC – POM-TC SST


Hurricane Sandy 18L: 2012102612




Hurricane Sandy 18L: 2012102612



MPIPOMTC SST + Currents









POM-TC SST + Currents





Better MPIPOM-TC Gulf Stream evolution improved track?


Hurricane Katia 12L: 2011083018





Hurricane Katia 12L: 2011083018



MPIPOMTC SST + Currents









POM-TC SST + Currents




MPIPOMTC – POM-TC SST




Hurricane Earl 07L: 2010082512




Hurricane Earl 07L: 20100825 12 & 18 Z



MPIPOMTC SST + Currents




POM-TC SST + Currents







MPIPOMTC – POM-TC SST





Proposed Worldwide MPIPOM-TC domains




URI's MPIPOM-TC West Pacific Domain: Ocean Response to Supertyphoon Bolaven with NCODA initialization: 2012082300-2800




URI's MPIPOM-TC West Pacific Domain: Ocean Response to Supertyphoon Bolaven with GDEMv3 + GFS SST initialization: 2012082300-2800



GFDL/MPIPOM-TC retrospective forecast of Supertyphoon Haiyan, initialized 2013110500 (NCODA)




GFDL/N and HWRF Ocean Coupling




$$\tau = \rho_a C_D U_a U_a \quad Q_H = C_H U_a (T_a - T_s) \quad Q_E = \frac{L_v}{C_p} C_E U_a (q_a - q_s)$$

Atmosphere-Wave-Ocean Coupled Framework for GFDL/N and HWRF models




GFDL/(WWIII)/POM-TC 72-h Forecast of Hurricane Irene (2011082612)




35-m Drag Coefficient

GFDL/(WWIII)/POM-TC 72-h Forecast of Hurricane Irene (2011082612)



GFDL/(WWIII)/POM-TC 72-h Forecast of Hurricane Irene (2011082612)



Summary

- Major 2014 upgrade of the GFDL/N and HWRF ocean model components: Replacing POM-TC with MPIPOM-TC.
- Alternative MPIPOM-TC ocean initialization options are being evaluated and tested for future implementation.
- A fully coupled atmosphere-wave-ocean framework has been developed for the GFDL/N and HWRF models to explicitly resolve effects of wind-wave-current interactions.
- The next step is to investigate the influence of explicit wave coupling on hurricane prediction. Near real-time test runs are planned in 2014.